## Contents

## Volume 30, Number 1, March 2000

#### Reviews

- Review of the distribution of Mesoplodon species (order Cetacea, family Ziphiidae) in the North Atlantic
   C. D. MacLeod
- 9 Glide angle in the genus *Petaurus* and a review of gliding in mammals S. M. Jackson
- 31 Identifying mammalian predators from bite marks: a tool for focusing wildlife protection
  P. O'B. Lyver
- 45 Distribution and status of the Red Squirrel (Sciurus vulgaris) and Grey Squirrel (Sciurus carolinensis) in Ireland
  D. Ó. Teangana, S. Reilly, W. I. Montgomery and J. Rochford

#### Short communications

- 57 The use of fumigants and anticoagulant rodenticides on game estates in Great Britain
  R. A. McDonald and S. Harris
- 65 Did the Arabian Oryx live in Egypt during pharaonic times? N. Manlius

# Volume 30, Number 2, June 2000

#### Reviews

- 73 The use of marked bait in studies of the territorial organization of the European Badger (Meles meles)
  R. J. Delahay, J. A. Brown, P. J. Mallinson, P. D. Spyvee, D. Handoll, L. M. Rogers and C. L. Cheeseman
- 89 Conservation status and causes of decline of the threatened New Zealand Longtailed Bat Chalinolobus tuberculatus (Chiroptera: Vespertilionidae)
  C. F. J. O'Donnell
- 107 Changes in the food of British Barn Owls (Tyto alba) between 1974 and 1997 R. A. Love, C. Webbon, D. E. Glue and S. Harris

#### Short communications

- 131 Road verges as habitats for small mammals in Britain P. E. Bellamy, R. F. Shore, D. Ardeshir, J. R. Treweek and T. H. Sparks
- 141 Associative feeding between Aardwolves (Proteles cristatus) and Aardvarks (Orycteropus afer)
  W. A. Taylor and J. D. Skinner

## Volume 30, Issues 3 & 4, September/December 2000

### Biology of Mustelids

The Proceedings of a Symposium held at the Third European Congress of Mammalogy, Jyväskylä, Finland, 31 May 1999

### Edited by Robbie A. McDonald & Carolyn M. King

- 145 Biology of mustelids: reviews and future directions R. A. McDonald and C. M. King
- 147 The impact of predation risk from small mustelids on prey populations K. Norrdahl and E. Korpimäki
- 157 Mustelid scent-marking in managed ecosystems: implications for population management
  M. R. Hutchings and P. C. L. White
- 171 An analysis and review of models of the sociobiology of the Mustelidae D. D. P. Johnson, D. W. Macdonald and A. J. Dickman
- 197 The application of GIS-modelling to mustelid landscape ecology M. C. Gough and S. P. Rushton
- 217 Lessons from lean beasts: conservation biology of the mustelids P. W. Bright

## 227 Poster abstracts

- 227 Home ranges of introduced mustelids and feral Cats at Trounson Kauri Park, New Zealand
  C. Gillies, R. Pierce, M. Clout and C. M. King
- **227** Testing the specialist predator hypothesis *I. M. Graham and X. Lambin*
- 228 Mink and Polecats in Denmark: status, control and damage to poultry M. Hammershøj and T. Asferg
- 228 Survival rate of captive-born released Least Weasels in southern Finland P. Hellstedt, E. Kallio and I. Hanski
- 228 The paradox of variable reproductive effort in female Stoats during rodent cycles C. M. King and R. A. Powell
- 229 Resource partitioning in the diet of British mustelids R. A. McDonald
- 229 Using gamekeeper trapping records to monitor the abundance of Stoats and Weasels R. A. McDonald
- 229 Stoats as conservation pests in New Zealand E. C. Murphy and R. A. McDonald
- 230 Predation risks to native fauna following outbreaks of Rabbit Haemorrhagic Disease in New Zealand
  G. Norbury

- 230 The social organization of Eurasian Badgers in Spain E. Revilla
- 231 Delayed response of Stoats to a cycling lemming population in north-east Greenland B. Sittler
- 231 Home range size, utilization and spatial organization of Pine Martens in Białowieża National Park, Poland
  A. Zalewski and W. Jedrzejewski

#### Short communications

- 233 The use of trackway counts to establish an index of deer presence B. A. Mayle, R. J. Putman and I. Wyllie
- 239 Interaction rates between members of a group of Red Foxes (Vulpes vulpes)
  P. J. Baker and S. Harris
- 243 The Mesolithic mammal fauna of Great Britain S. Maroo and D. W. Yalden
- 249 A new survey method for Water Shrews (Neomys fodiens) using baited tubes S. Churchfield, J. Barber and C. Quinn